MOSSBERG.

TRIPLE END SOCKET FOR FORDS.

Has two openings of 41/64 inches for use on cylinder head cap screws and one opening of 33/64 inches to fit nuts on rear axle housing.

Each

No. 630—Triple End Socket Wrench; for Fords.....**$0.86**

Weight each, 1 lb. One in a box.

CYLINDER HEAD AND REAR AXLE.



A sturdily built ratchet wrench 9¾ inches long with $\frac{13}{16}$ inch handle to give good grip. Fitted with 41/64 and 33/64 hex sockets to fit $\frac{7}{16}$ and $\frac{5}{16}$ inch screws.

Each

No. 631—Mossberg Ratchet Cylinder Head Screw and Rear Axle Housing Nut Wrench.....**$4.00**

CONNECTING ROD.



After removing the pan underneath the engine of a Ford, the three front connecting rods are fairly easy to adjust, but the fourth is back from the opening and (working from under the car as you must) a special wrench is absolutely necessary to adjust this "No. 4" connecting rod. The No. 623 is designed to just meet the conditions and its use will many times obviate the necessity of taking down the engine.

Each

No. 623—Mossberg Connecting Rod Wrench; mottled finish and thoroughly hardened; packed in strong fibered envelope.....**$0.62**

RATCHET CONNECTING ROD.

A new reversible ratchet wrench shaped especially to reach up and over the edge of the pan and on the nuts of the connecting rod, means that you will not have to remove wrench after you once fit it to these nuts.

Each

No. 624—Reversible Ratchet Connecting Rod Wrench..**$2.90**

HUB CAP WRENCH.

Each

No. 650—Mossberg Hub Cap Wrench; for removing Ford hub caps.....**$0.26**

THREE-EIGHTH SOCKET.

A short sturdy "L" shaped ⅜-inch socket wrench for use on Ford cars.

Each

No. 625—⅜-Inch Single End Offset Socket Wrench; 7¼ inches long; offset 2 inches; packed in individual cartons.....**$0.48**

BRACE BOLT.



The ⅜-inch bolt is the most common bolt on the Ford car and a brace wrench is necessary to remove them rapidly. Some of the most important places where this wrench is especially used on account of its long length are on carburetor nuts, crank case nuts, cylinder valve cover nuts, fan adjusting screws, lamp bracket nut, manifold clamp stud nut, steering post bracket nut, timer spring nut, etc.

Each

No. 611—Mossberg ⅜-Inch Brace Bolt Wrench.....**$1.04**

DOUBLE-END SPARK PLUG AND CYLINDER HEAD.



The flat opening of 61/64 inches fits the Champion "X" plug used on Ford cars and is offset to get down on to the spark plug body nut. This socket measures 41/64 inches, to accurately fit cylinder head cap screws and all $\frac{7}{16}$ inch bolts.

Each

No. 635—Double-End Spark Plug and Cylinder Head Screw Wrench.....**$1.20**

RATCHET TENSION SPRING.



Especially designed for use on Ford reverse and brake pedal tension springs.

Each

No 645—Ratchet Tension Spring Wrenches; for Ford car.**$0.80**

FLY WHEEL CAP SCREW.



Designed for adjusting the cap screw on fly wheel of Ford car. Built especially strong and sturdy. Clearance of all obstructions is given.

Each

No. 637—Mossberg Fly Wheel Cap Screw Wrench.....**$1.10**

MOSSBERG SOCKET WRENCHES.

SPEED BRACE.



The sockets are drawn from cold rolled strip steel, with accurate hexagon openings, but are perfectly round outside. The addition of this extra metal across outside faces of sockets causes these sockets to be veritably indestructible. All indestructible sockets are case hardened. Top handles are steel drawn from flat stock. Construction: ½-inch steel bar, with bell-shaped steel swivel top handle; length, 19¼ inches; finish, rust proof black.

No.	Sizes of Hex. Sockets, Inches	U. S. Std. Nuts and Bolts; Bolt Size, Inches	S. A. E. Standard Screw; Size, Inches	Hex. Head Cap Screw, Inches	Each
1729	29/64	..	1/4	1/4	$1.32
1733	33/64	1/4	5/16	5/16	1.32
1737	37/64	..	3/8	3/8	1.32
1739	39/64	5/16	..	..	1.32
1741	41/64	..	7/16	7/16	1.32
1745	45/64	3/8	..	..	1.32
1749	49/64	..	1/2	1/2	1.32
1751	51/64	7/16	..	..	1.32
1753	53/64	..	..	9/16	1.32
1757	57/64	1/2	9/16	5/8	1.32
1761	61/64	..	5/8	..	1.32
1763	63/64	9/16	..	..	1.32
1765	1-1/64	..	11/16	3/4	1.32
1769	1-5/64	5/8	3/4	..	1.32
1781	1-17/64	3/4	7/8	1	1.32

10-INCH OFFSET.



The sockets are drawn from flat stock, round outside, with no more clearance needed than other types, but with about twice the strength. All Mossberg indestructible steel sockets are case hardened. Construction: ½-inch steel bar; length, 10 inches over all; finish, rust proof black.

No.	Sizes of Hex. Sockets, Inches	U. S. Std. Nuts and Bolts; Bolt Size, Inches	S. A. E. Standard Screw; Size, Inches	Hex. Head Cap Screw, Inches	Each
1529	29/64	..	1/4	1/4	$0.74
1533	33/64	1/4	5/16	5/16	.74
1537	37/64	..	3/8	3/8	.74
1539	39/64	5/16	..	..	.74
1541	41/64	..	7/16	7/16	.74
1545	45/64	3/8	..	..	.74
1549	49/64	..	1/2	1/2	.74
1551	51/64	7/16	..	..	.74
1553	53/64	..	..	9/16	.74
1557	57/64	1/2	9/16	5/8	.74
1561	61/64	..	5/8	..	.74
1563	63/64	9/16	..	..	.74
1565	1-1/64	..	11/16	3/4	.74
1569	1-5/64	5/8	3/4	..	.74
1581	1-17/64	3/4	7/8	1	.74

6-INCH "T" HANDLE.



Mossberg "T" handle wrenches are made of ½-inch steel bar case hardened. Sockets are pinned and securely riveted to handle of wrench so that it is impossible for them to loosen no matter how severe the service. Rust proof black finish.

No.	Sizes of Hex. Sockets, Inches	U. S. Std. Nuts and Bolts; Bolt Size, Inches	S. A. E. Standard Screw; Size, Inches	Hex. Head Cap Screw, Inches	Each
1129	29/64	..	1/4	1/4	$0.96
1133	33/64	1/4	5/16	5/16	.96
1137	37/64	..	3/8	3/8	.96
1139	39/64	5/16	..	..	.96
1141	41/64	..	7/16	7/16	.96
1145	45/64	3/8	..	..	.96
1149	49/64	..	1/2	1/2	.96
1151	51/64	7/16	..	..	.96
1153	53/64	..	..	9/16	.96
1157	57/64	1/2	9/16	5/8	.96
1161	61/64	..	5/8	..	.96
1163	63/64	9/16	..	..	.96
1165	1-1/64	..	11/16	3/4	.96
1169	1-5/64	5/8	3/4	..	.96
1181	1-17/64	3/4	7/8	1	.96

12-INCH "T" HANDLE.



Same as 6-inch "T" handle wrenches, except fitted with 12-inch handles.

No.	Sizes of Hex. Sockets, Inches	U. S. Std. Nuts and Bolts; Bolt Size, Inches	S. A. E. Standard Screw; Size, Inches	Hex. Head Cap Screw, Inches	Each
1329	29/64	..	1/4	1/4	$1.04
1333	33/64	1/4	5/16	5/16	1.04
1337	37/64	..	3/8	3/8	1.04
1339	39/64	5/16	..	..	1.04
1341	41/64	..	7/16	7/16	1.04
1345	45/64	3/8	..	..	1.04
1349	49/64	..	1/2	1/2	1.04
1351	51/64	7/16	..	..	1.04
1353	53/64	..	..	9/16	1.04
1357	57/64	1/2	9/16	5/8	1.04
1361	61/64	..	5/8	..	1.04
1363	63/64	9/16	..	..	1.04
1365	1-1/64	..	11/16	3/4	1.04
1369	1-5/64	5/8	3/4	..	1.04
1381	1-17/64	3/4	7/8	1	1.04

DISPLAY BOARDS

MOSSBERG.

SPEED BRACE SOCKET WRENCHES.



The purpose of No. 1700 is to offer our dealers the best possible speed brace socket wrenches, each size in the proportion in which it sells to the trade, and to offer them in a self-selling way. All Mossberg speed brace wrenches are furnished with drawn steel bell top handle which eliminates breakage, so common on the wooden type, and all the sockets are case hardened. Display board construction: Western chestnut with coach construction, individual metal tags for each wrench. Finish, natural wood with three coats of varnish. Size, 24x70 inches. Assortment consists of 75 Mossberg speed brace socket wrenches assorted in size from 29/64 to 1-17/64 inches. Each pair of hooks holds two wrenches, although the assortment is arranged so that you get quantities in each size of sockets exactly as that particular size sells. On those sizes where more than two wrenches are furnished, you have a small reserve stock.

Each

No. 1700—Mossberg Speed Brace Socket Wrench Assortment and Display Board **$118.66**

"T" AND OFFSET WRENCHES.



A properly proportioned assortment of the Mossberg ready selling 6 and 12-inch "T" handle and 10-inch offset socket wrenches. Consists of sixty 6-inch "T" handle wrenches ranging in size from 29/64 to 1-17/64 inches, seventy 12-inch "T" handle wrenches ranging in size from 29/64 to 1-17/64 inches and thirty-two 10-inch offset wrenches ranging in size from 33/64 to 61/64 inches. Mounted on handsomely finished hardwood display board, size 24x70 inches, with coach construction; individual metal tags for each wrench. Each pair of hooks holds two wrenches, although the assortment is arranged so that you get quantities in each size of sockets exactly as that particular size sells. On those sizes where more than two wrenches are furnished, you have a small reserve stock.

Each

No. H—Mossberg Wrench Assortment and Display Board **$170.66**

WRENCH SET.



The No. 600 Mossberg wrench set consists of 76 wrenches for Ford repair work.

Contents: 8 No. 623 Special for connecting rods, 4 No. 624 reversible ratchet wrenches for connecting rods, 8 No. 630 triple-end cylinder head screw and rear axle housing bolts, 2 No. 631 reversible ratchet wrench for cylinder head screws and rear axle bolts, 8 No. 635 spark plug and cylinder head screws, 6 No. 637 fly wheel cap screws, 10 No. 645 ratchet wrench for reverse and brake pedal tension springs, 6 No. 1637 double end socket wrenches, 6 No. 613 $\frac{5}{16}$-inch screw speed brace socket wrenches, 6 No. 611 $\frac{3}{8}$-inch screw speed brace socket wrenches and 6 No. 612 $\frac{7}{16}$-inch screw speed brace socket wrenches.

Above assortment mounted on handsomely finished hardwood board with individual metal tags for each wrench.

Each

No. 600—Mossberg Wrench Assortment and Display Board; size of board, 24x70 inches **$104.00**

MECHANICS CABINETS.



The handiest collection of wrenches in a finished hardwood wall cabinet, with a place for each tool and each tool in its place, with some space for a few extra tools under lock and key. Forty-one tools in all, every one a real one, to fill a real necessity are in this cabinet. Every wrench and tool used every day by the garage man, every one necessary. Contents: All steel indestructible socket speed braces, ten of them, all steel socket handles, reversible ratchet connecting rod wrench for Fords, all steel wheel puller for Fords, a real universal valve lifter, a brace valve-grinder for all types of valves and in addition is included the complete No. 4 garage set of open double-end wrenches, each wrench fitting the same bolt or nut diameter either in U. S. or S. A. E. standard.

Each

No. 1000—Mossberg Garage Mechanics Cabinet; cabinet, 30 inches long, 11 inches deep, 27 inches high, constructed of selected western chestnut handsomely finished; complete with wrenches as above **$70.00**

5334 AUTOMOBILE TOOL KITS.

VLCHEK.

FORD SPECIAL.

This set contains all the tools originally sent out with a Ford car and some additional tools that are very convenient to have and consists of the following:

Semi-finished 15° angle drop forged wrench; 9 inch black automobile wrench 3 inch electricians round shank screw driver; 6 inch black adjustable combination pliers; ⅜ inch cold chisel; natural finish; 5 inch offset screw driver; 8 ounce ball pein hammer.

Each

No. 910—Tool Kit; for Ford cars; weight, 3 lbs.....**$3.40**

TOURIST.



This assortment is used by the majority of the medium priced car manufacturers and contains an assortment that appeals to the prospective buyer who will do most of his own repair work. All high grade tools and consists of the following:

4 semi-finished 15° angle drop forged wrenches; single jaw wrench, half polished; 9 inch ebony automobile wrench; 3 inch electricians round shank screw driver; 5 inch electricians square shank screw driver; 9 inch machinists all-steel screw driver; 7 inch flat file; 6 inch ebony adjustable combination pliers; ⅜ inch solid punch, half polished, ⅛ inch point; ⅜ inch center punch, half polished; ½ inch cold chisel, half polished; ½ inch cape chisel, half polished; $\frac{5}{16}$ inch cotter pin extractor, black; 10 ounce machinists ball pein hammer No. 1 machinists bearing scraper; box assorted cotter pins; file handle

Each

No. 906—Tool Kit; complete with roll as above; weight 7½ lbs.....**$9.30**

MOTORIST.



An excellent kit, containing all tools necessary for making ordinary repairs All tools of the highest grade and fully warranted. Case is heavy waterproof canvas with harness leather retaining straps. We recommend this kit to the automobile owners. Consists of the following:

4 semi-finished 15° angle drop forged wrenches; 10 inch wood handle pipe wrench; 9 inch automobile monkey wrench; double jaw "ready grip" wrench, polished; 3 inch electricians round shank screw driver; 5 inch electricians round shank screw driver; 9 inch machinists all-steel screw driver; 5 inch offset drop forged screwdriver; 6 inch ebony adjustable combination pliers; ⅜ inch solid punch, half polished, ⅛ inch point; ⅜ inch center punch, half polished; ⅜ inch cold chisel, half polished; ½ inch cold chisel, half polished; ½ inch cape chisel, half polished; $\frac{5}{16}$ inch cotter pin extractor; No. 1 machinists bearing scraper; 10 ounce machinists ball pein hammer; file handle; 8 inch round file; 8 inch flat file; 6 inch three corner file; 6 inch side cutting pliers; 5 inch black bicycle wrench; spark plug socket wrench; bundle 15 copper wire; box assorted cotter pins; bundle 20 copper wire.

Each

No. 902—Tool Kit; complete as above with roll; weight, 11¼ lbs.....**$16.80**

WRENCH SETS.

MOSSBERG'S, DOUBLE END.

An assortment designed especially to meet the requirements of the individual car owners. This set is low in price and at the same time furnishes an assortment of well made wrenches with sufficient range to handle any ordinary work for which a wrench of this kind is required.

Per Set

No. 1MS—Containing 5 double end wrenches, ranging in sizes from ¼x$\frac{5}{16}$ to ⅞x1 inches; lengths, 3⅞ to 8¾ inches. **$1.54**
Packed in enameled canvas kit.

A. L. A. M. sizes.



Packed in special canvas kit as follows: No. 232, $\frac{7}{16}$ and ½-inch openings, ¼ and $\frac{5}{16}$ bolt size; No. 243, $\frac{9}{16}$ and ⅝-inch openings, ⅜ and $\frac{7}{16}$ bolt size; No. 267, ¾ and ⅞-inch openings, ½ and $\frac{9}{16}$ bolt size; No. 277, $\frac{15}{16}$ and 1-inch openings, ⅝ and $\frac{11}{16}$ bolt size; No. 293, $1\frac{1}{16}$ and 1¼-inch openings, ¾ and ⅞ bolt size.

Per Set

No. 3MS—Containing 5 wrenches as enumerated above; weight per set, 1½ lbs.....**$2.50**

GARAGE.



One opening of each wrench fits U. S. standard bolts and the other opening of the same wrench fits the S. A. E. cap screws of the same dimension.

Set contains 9 wrenches with 18 openings which fit all U. S. and S. A. E. thread bolts from ¼ to ¾-inch. The large range of work this set will handle makes it an ideal outfit for general motor work.

Per Set

No. 4—Garage Set; containing one each, ⅛, ¼, $\frac{5}{16}$, ⅜, $\frac{7}{16}$, ½, $\frac{9}{16}$, ⅝ and ¾ inch full finished wrenches packed in wood box; weight per set, 6 lbs.....**$5.60**

SOCKET WRENCH SETS.

MOSSBERG.



Each

No. 14MS—Consists of 1 No. 350 ratchet socket handle, 1 No. 330 "T" handle, 1 No. 320 offset socket wrench handle, 1 extension bar No. 351, 10-inches long, 1 Sterling No. 100 finest nickeled pliers, 1 S. A. E. double-end wrench set, full finish, five wrenches, ten openings, 1 universal joint, 3 special spark plug sockets, sizes 29/32, 31/32 and 1-5/32 inches, 1 double-end offset screw driver, 1 cotter pin extractor No. 1, bright nickel plated, 23 sizes thoroughly hardened and Parker rust proof hexagon sockets, ranging from 5/16 to 1-9/32, 11 sizes square sockets, ranging from 13/32 to 1-9/32; handles for every kind of difficult approach; sockets to fit every possible size between 5/16 and 1-9/32 inches; weight per set, 17 lbs.....**$23.80**



No. 19 assortment hexagon sockets with various handles, adapted for heavy repair work.

Each

No. 19MS—Consists of 1 No. 357 reversible ratchet handle, 18 inches long, 1 No. 324 offset handle, 15 inches long, 1 No. 348 extension tube, 10 inches long, 1 No. 337 universal joint, 1 No. 338 connection bushing (for use with small series sockets), 9 heavy duty Parker rust proof pressed steel hexagon sockets, ranging in size from 29/32 to 2-13/32 inches; weight per set, 20 lbs.....**$28.00**



Per Set

No. ACL—Consists of 1 take-down reversible ratchet handle, 1 swivel or universal joint which permits the use of wrench at any angle, 1 1½-inch extension bar, 1 1¾-inch extension bar, 1 offset screw driver, 28 sizes of mottled case hardened pressed steel hexagon sockets, ranging in size from 5/16 to 1-9/32 inches, 1 each 13/32, 17/32 and 21/32 square and 1 special spark plug socket, 29/32 inches hexagon, 4 inches long; weight per set, 8½ lbs.**$19.60**

Each

No. 10MS—Consists of 1 ratchet handle No. 350, 1 extension bar, 9½ inches long, No. 351, 1 universal joint, No. 336, double-end offset screw driver, 21 rust proof, properly hardened, pressed steel sockets ranging in size from 15/32 to 1-9/32 inches, 2 special hexagon spark plug sockets, No. 402, 4 inches long, 29/32-inch opening, No. 422, 4 inches long, 1-5/32-inch opening, fitting standard spark plugs; weight per set, 6¾ lbs.....**$14.00**

Each

No. 13MS—Consists of 1 ratchet socket wrench handle, No. 355, 1 extension tube, No. 351, 9½ inches long, 15 rust proof, thoroughly hardened, pressed steel hexagon sockets ranging in size from 13/32 to 23/32 inches, 1 29/32 hexagon spark plug socket, 4 inches long; weight per set, 5½ lbs.....**$7.70**



Each

No. 7MS—Consists of 1 offset socket wrench handle, No. 320, 10 inches long, 1 take-down "T" socket wrench handle, No. 340, 10 inches long, 15 hexagon rust proof, thoroughly hardened, pressed steel sockets ranging in size from 13/32 to 1-3/32 inches, 1 29/32 hexagon spark plug socket, 4 inches long; weight per set, 5½ lbs.....**$6.30**



Each

No. 6MS—Containing 1 folding handle, No. 310, 7 sizes of hexagon pressed steel sockets as follows: 17/32, 19/32, 21/32, 23/32, 13/16, 29/32 and 1-3/32 inches, special spark plug socket, 29/32x4 inches; weight per set, 2 lbs.**$4.95**

SPEED BRACE.



Each

No. 45MS—Consists of 1 speed brace handle, No. 359, with interchangeable sockets held to handle by ball spring friction, 1 universal joint, No. 336, 1 connection socket, No. 167, 17/32-inch square socket for use as connection unit, 15 sizes of all-steel indestructible heavy duty hexagon sockets ranging in size from 29/64 to 1-17/64 inches; weight per set, 9¼ lbs....**$14.66**

Above packed in hardwood boxes, hinged covers.

SOCKET WRENCH SETS.

MOSSBERG.

FORD SPECIAL.



A heavy-duty socket set. Five steel bars with a socket firmly affixed to each end.

Consists of 10 sockets as follows: Hexagon, 1/2, 11/32, 3/8, 13/32, 7/16, 15/32, 1/2; Square, 1/2; Spark Plug Socket, 13/16, 4 inches long; oval socket for Ford main bearing nuts.

Each.

No. 17FS—One set complete in a canvas case; weight each, 3½ lbs.....**$6.66**

FORD SOCKET.

Designed especially for the use of the Ford owner who requires a reliable wrench set for use when repairing his car.

Each

No. 30—Contains one No. 355 ratchet socket wrench, one No. 351 extension tube, one No. 336 Universal ,joint one No. 302 screw driver socket, ten pressed steel sockets, one oval socket to fit main bearing bolts, and one spark plug socket.....**$8.14**

FORD SPECIAL.



Provides a wrench to fit every nut and bolt on Ford cars. Enables quick repair in case of accident. Fully guaranteed and always dependable. Eliminates need of any other wrenches. Contains the famous Mossberg No. 350 ratchet handle, one tubular extension bar, ten pressed steel hardened sockets, one spark plug socket, one universal joint and one screw driver.

Per Set.

No. 15M—Approximate weight, per set, 5 lbs.....**$10.66**

LANE'S UNIQUE RACHET.



Machine made throughout of the best material obtainable. The sockets in both the Standard and Ford sets are turned from Bessemer steel and case hardened and are warranted not to break or spread. Has no equal for close work. Set contains: 1 handle, 7 inches in length; 2 screw driver bits; 1 extension bar 7 inches in length; 6 sockets to fit all nuts and bolt heads on Ford car including the cylinder head.

Per Set

No. LF—Wrench Set; for Ford cars; weight, 2 lbs.....**$4.50**

No. LS—Wrench Set; same as No. LF except contains 7 sockets and does not have extension bar; for use on other standard makes of cars..... **4.50**

Both above put up in imitation leather case.

WRIGHT.

GARAGE KIT.



This wrench set is made of the very best quality of malleable iron. Has a hard baked enamel finish and is packed in a neat and durable wooden case. Set includes universal joint which is indispensible in enabling one to reach cramped difficult places at any angle. All parts fit into ratchet wrench head where they are held by means of a spring. An ideal set for use around automobiles, garages, machine shops, etc.

Per Set

No. 50—Wright Garage Kit; consisting of 9-inch ratchet wrench, 8-inch extension screw driver, universal joint, 8-inch extension, one each 1/47, 9/32, 5/16, 3/8, 7/16, 1/2, 9/16 and 5/8 hexagon sockets, one each 1/4, 5/16, 3/8, 7/16, 1/2 and 9/16 square sockets and one each 7/8 and 1-1/8 spark plug sockets.....**$8.80**

FORD TOOL BOX KITS.



This is a complete wrench set for Fords, made of very best quality malleable iron and finished in hard baked enamel. Packed in strong fibre box suitable for carrying in tool box.

Per Set

No. 60—Ford Tool Box Kits; consisting of 9-inch ratchet wrench, extension socket, universal joint and one each 1/4, 3/8, 5/16, 9/32, 7/16, 1/2 and 9/16 hexagon sockets.**$4.40**



This Ford wrench is made of the same quality malleable iron and has the same high grade finish as the No 60 kit. Packed in strong fibre box, convenient size to carry in tool box.

Per Set

No. 61—Ford Tool Box Kit; consisting of 8½-inch socket wrench, spark plug socket, oval socket for end bearings of crank shaft and one each 7/32, 93/2, 5/16, 3/8 and 2 1/32 hexagon sockets.....**$2.00**

MOSSBERG SOCKET CHEST.

This particular assortment of sockets and handles has been carefully made up from several year's record of sales and the quantity of each unit is in direct proportion to its demand. Empty kits are included in the assortment for containers of special sets made up from this stock. The chest is a beautifully finished store fixture made of selected chestnut and is 14¾ inches high, 21 inches wide, 12½ inches deep, with eight drawers.

The No. 300 Assortment consists of:

300 regular Mossberg pressed steel sockets, rust proof, assorted sizes.

21 only pressed steel spark plug socket wrenches, assorted sizes.
4 only No. 350 reverse ratchet socket handles.
4 only No. 355 ratchet handles.
4 only No. 322 double-end offset and vertical handles.
4 only No. 340 take-down T handles.
4 only No. 336 universal joints.
4 only No. 351 extension tubes.
5 only canvas tool rolls.

Each

No. 300—Mossberg Socket Chest; complete with above assortment; carefully packed one in a box; weight packed ready for shipment, 145 lbs..... **$123.00**

MOSSBERG SOCKET WRENCH PARTS.

HEXAGON SOCKETS.



Mossberg socket wrenches are so generally used in automobile repair work that it is necessary for dealers to have a stock of parts to take care of requests for more parts to add to sets already purchased or for replacement of lost units and for customers desiring special sizes.

Per Socket

Mossberg Pressed Steel Hexagon Sockets—Furnished in following sizes: 5/16, 11/32, 3/8, 13/32, 7/16, 15/32, 1/2, 17/32, 9/16, 19/32, 5/8, 21/32, 11/16, 23/32, 3/4, 25/32, 13/16, 27/32, 7/8, 29/32, 15/16, 31/32, 1, 1-1/32, 1-5/32 and 1-9/32 inch..... **$0.36**

SQUARE SOCKETS.

Per Socket

Mossberg Pressed Steel Square Sockets—Furnished in following sizes: 13/32, 15/32, 17/32, 19/32, 21/32, 23/32, 25/32, 29/32, 1-1/32, 1-5/32 and 1-9/32 inch..... **$0.36**

MOSSBERG SOCKET WRENCH PARTS.

UNIVERSAL JOINT.

This universal joint allows the direct application of socket wrenches upon nuts or set screws in the most inaccessible places where it is necessary to literally "turn a corner", that is, the handle of socket wrench is used at an angle yet takes direct power used with long extension or 17/32 inch square socket.

Each

No. 336—Mossberg Universal Joint..... **$0.76**

RATCHET SOCKET HANDLE.

A reversible ratchet all steel socket wrench handle which will give long and satisfactory service.

Each

No. 350—Mossberg Ratchet Socket Wrench Handle; nickel plated finish..... **$3.50**

No. 355—Mossberg Ratchet Socket Wrench Handle; dead black finish..... **1.75**

EXTENSION BAR.

This long tubular extension bar, 9½ inches in length, makes it easy to reach many otherwise inaccessible places; can be used with ratchet socket handles, sockets or universal joint.

Each

No. 351—Mossberg Tubular Extension Bar..... **$0.80**

"T" SOCKET WRENCH HANDLE.

A strong compact take-down "T" handle, 10½ inches in length, made of hardened steel, mottled finish.

Each

No. 340—Mossberg Socket Wrench Handle..... **$0.80**

OFFSET SOCKET WRENCH HANDLE.



Ten inches long, made of finest steel thoroughly hardened.

Each

No. 320—Mossberg Socket Wrench Handle..... **$0.40**